TECHNICAL DATA

ROLF BENZ KUMO






- Wooden inner frame
- Spring system: Glass fibrereinforced plastic female connectors

Seating comfort Lounge Deluxe

- Seat made of high-quality cold foam, built up in coordinated layers, covered with a mat consisting of 20 % viscose foam and 80 % microfibres and a non-woven polyester cover.
- Back pad in polyurethane foam
- Back cover quilted underneath with polyester nonwoven
- Upholstery cover glued-on nonwoven polyester
- Down-like backrest cushions comprising compartments with a filling made of 20 % viscose foam and 80 % microfibres.
- Seat height options 43 cm or 46 cm
- Cast feet, metal, Smooth aluminium, powder-coated, matt: optionally:
- RAL 9017 Traffic black
- RAL 7022 Umbra grey
- Marrone metallic




A high-quality, especially casual upholstery that forms waves/leaves indentations that are typical of the material - this waviness may even occur in new condition. All dimensions are approximate and may deviate by up to around 4 cm, or even more in individual cases where elements are connected.



- Wooden inner frame
- Spring system: Glass fibrereinforced plastic female connectors

Seating comfort Lounge Plus

- Seat made of high quality cold foam with a polyester fleece cover
- Back pad in polyurethane foam
- Back cover quilted underneath with polyester nonwoven
- Upholstery cover glued-on nonwoven polyester
- Down-like backrest cushions comprising compartments with a filling made of 20 % viscose foam and 80 % microfibres
- Cast feet, Smooth aluminium, powder-coated, matt: metal, optionally:
- RAL 9017 Traffic black
- RAL 7022 Umbra grey
- Marrone metallic




Seat heights available




A high-quality, especially casual upholstery that forms waves/leaves indentations that are typical of the material - this waviness may even occur in new condition. All dimensions are approximate and may deviate by up to around 4 cm, or even more in individual cases where elements are connected.








^{*}These elements are only shown in the left version. They are also available in the right version.



Combination examples:



K-ASO-R 555/154 le K-E-ARB-V 555/148 ri K-ARB-PSZ-R 555/175 ri RUK 555/74 x 50 3x

K-ASS-PSZ-R 555/119 le K-ASO-R 555/196 ri RUK 555/74 x 50 3x

K-XL-ASO-R 555/138 le A-PB 555/77 K-ASO-R 555/175 ri RUK 555/74 x 50 4x

